

Table S1 Clinical information of the patients

Patient	Age (y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed therapies	Adverse effects	Outcome
1	70	F	Major	7	Lower limb	+	–	Local IL- Glucantime	–	Cure
								Cryotherapy	–	
								Systemic IM- Glucantime	Anemia Dizziness	
2	57	F	–	1	Face	–	–	Local IL- Glucantime	–	Failure
								Systemic IM- Glucantime	–	
								Amphtericin B ^a	Tachycardia	
								Miltefosine	–	
3	38	F	Major	31	Face, body, upper limb, lower limb	+	IM- Glucantime	Local IL- Glucantime	–	Cure
								Systemic Amphtericin B	Hyperglycemia	
4	50	F	–	4	Upper limb, lower limb	–	IL- Glucantime Ampholeish oint	Local IL- Glucantime	Local pain	Cure
								Systemic IM- Glucantime	Arthralgia	
5	49	F	–	2	Lower limb	–	–	Local IL- Glucantime	Local pain	Cure
								Systemic Sodium stibogluconate	–	
6	37	F	–	5	Body, upper limb, lower limb	–	–	Local IL- Glucantime	–	Cure

M: male; F: female; IL: intralosomal; IM: intramuscular

^a The patient first was treated with IL and IM glucantime and after treatment failure underwent treatment with miltefosine. After second treatment failure she received Amphotericin B.

Table S2 Clinical information of the patients

Patient	Age (y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed therapies	Adverse effects	Outcome
7	66	F	—	8	Face, upper limb, lower limb	+	terbinafine	Local IL- Glucantime	Local pain	Unknown
								Systemic IM- Glucantime	—	
								Sodium stibogluconate	—	
								Amphotericin B	Hypokalemia Fever Cough	
								Milt eosine		
8	35	F	Major	18	Upper limb, lower limb	—	IL- Glucantime IM- Glucantime	Systemic Amphotericin B	Hyperkalemia Hyperphosphatemia Nephrotoxicity Hyperglycemia	Cure
9	74	M	—	1	Upper limb	—	Cryotherapy Fluconazole	Local IL- Glucantime	Local pain Erythema	Cure
10	29	F	—	3	Lower limb	+	—	Systemic IM- Glucantime ^a	Amylase rise Lipase rise Leukopenia Abdominal pain	
								Local IL- Glucantime	Local pain Headache	
								Cryotherapy	—	
								Systemic IM- Glucantime	Nausea vomiting	
11	81	F	—	4	Face	—	IL- Glucantime	Systemic Amphotericin B	Hypokalemia Hyponatremia Nephrotoxicity Nausea vomiting Hypertension	Cure

^a IM glucantime was hold due to clinical pancreatitis.

Table S3 Clinical information of the patients

Patient	Age (y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed therapies	Adverse effects	Outcome
12	53	M	Major	5	Lower limb	+	–	Local	IL- Glucantime	–
13	23	M	Major	6	Trunk, Upper limb, Lower limb	–	–	Systemic	IM- Glucantime	–
14	69	M	Tropica	3	Upper limb, Lower limb	–	Fluconazole	Local	IL- Glucantime	–
15	74	F	–	2	Upper limb	+	–	Local	IL- Glucantime	–
16	62	M	Major	1	Upper limb	–	–	Local	IL- Glucantime	Local pain
17	55	F	Major	5	Face, lower limb	+	–	Local	IL- Glucantime	Erythema, edema
								Systemic	Amphotericin B	Hypokalemia Nausea vomiting

^a IM glucantime was held due to exacerbation of patient's heart failure and amphotericin B was substituted.

Table S4 Clinical information of the patients

patient	Age (y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed treatment	Adverse effect	Outcome
18	37	M	—	6	Upper limb, lower limb	—	IM- Glucantime Fluconazole	Systemic Amphotericin B	Nephrotoxicity	Cure
19	56	F	—	23	Trunk, upper limb, lower limb	—	IM- Glucantime Fluconazole	Systemic Amphotericin B	Nephrotoxicity	Cure
20	54	F	—	1	Face	—	IL- Glucantime Miltefosine terbinafine	Systemic Miltefosine	—	Failure ^a
21	72	M	Major	7	Upper limb	+	Fluconazole	Local Amphotile oint	—	Cure
22	42	F	Major	17	Upper limb, lower limb	—	—	Local Amphotericin B	Constipation	Cure
23 ^b	60	F	—	3	Trunk	—	Amphotile oint Fluconazole	Local Amphotile oint	IL- Glucantime —	Cure
24	32	M	—	15	Lower limb	—	—	Local IM- Glucantime	Anemia, dizziness, Nephrotoxicity, Rash	Cure
25	50	F	—	2	Upper limb, lower limb	—	—	Local IM- Glucantime	Arthralgia, asthenia	Cure
									Arthralgia, asthenia Dyspnea	

^a Patient had cutaneous leishmaniasis lesions since 15 years ago and a history of spontaneous cure and relapse.

^b Patient had cutaneous psoriasis and psoriatic arthritis and was being treated with etanercept and methotrexate before anti-leishmania treatment.

Table S5 Clinical information of the patients

patient	Age(y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed treatment	Adverse effects	Outcome
26	37	M	Major	1	Lower limb	–	–	Local	IL- Glucantime	Local pain
								Systemic	IM- Glucantime	Lipase rise
									Sodium stibogluconate	Dyspnea Chest pain
27	47	F	Major	5	Face, trunk	–	IM- Glucantime	Local	IL- Glucantime	–
								Local	IL- Glucantime	–
								Systemic	IM- Glucantime ^a	Amylase rise
28	66	M	–	2	Upper limb	+	–	Local	IL- Glucantime	–
								Local	IL- Glucantime	–
								Systemic	IM- Glucantime	–
29	53	F	Major	3	Face, upper limb	+	–	Local	IL- Glucantime	–
								Systemic	IM- Glucantime	Cure
									Amphotericin B ^b	Hypokalemia Hypocalcemia Nausea vomiting Dyspnea, dizziness Hypertension Tachycardia
30	63	F	–	10	Lower limb	+	IL- Glucantime IM- Glucantime	Local	IL- Glucantime	–
									Cryotherapy	–
								Systemic	Amphotericin B ^c	Hypomagnesemia Fever, rash Dyspnea
									Sodium stibogluconate	Amylase rise Lipase rise

^a IM glucantime was held due to increase of serum amylase.

^b Following the treatment failure of IM glucantime, amphotericin B was substituted.

^c Amphotericin B was held due to dyspnea, rash and fever and sodium stibogluconate was substituted.

^d Patient had cutaneous leishmaniasis lesions since 5 years ago and a history of relapse.

Table S6 Clinical information of the patients

Patient	Age (y)	Sex	Leishmania species	Lesions number	Involved site	Sporotrichoid	Treatment history	Performed treatment		Adverse effects	Outcome
31	9	F	—	1	Upper limb	—	—	Local IL- Glucantime		—	Failure
32	36	M	Tropica	8	Upper limb, lower limb	—	—	Local Systemic	Cryotherapy	—	Cure
									IM- Glucantime	Headache	
									Fluconazole	—	
33	37	F	Major	8	Upper limb, lower limb	—	—	Local	IL- Glucantime	Local pain	Cure
									Ampholeish oint	—	
34	48	F	Major	8	Face, trunk, upper limb, lower limb	—	—	Local	IL- Glucantime	Local pain	Relapse
									Amphotericin B	Hypokalemia (ECG change) Hyperglycemia	
35	24	M	Major	13	Face, upper limb, lower limb	+	IL- Glucantime IM- Glucantime	Systemic	IM- Glucantime	—	Cure
									Amphotericin B	Hypokalemia Hypocalcemia Nephrotoxicity	
36 ^a	59	M	—	10	Face, lower limb	—	IL- Glucantime IM- Glucantime	Local	IL- Glucantime	—	Unknown
									Systemic	IM- Glucantime	Nephrotoxicity Nausea vomiting Headache

^a The patient was HIV-positive.